

Recommended Canopy Size

Standard Fitting: Pack volume represented by these sample groups should be considered optimum recommended pack volumes, to ensure proper fit, function, and ease of packing.

Full Fitting: Due to different canopy designs and material bulk, some canopies have slightly larger pack volume. Pack volume represented by these sample groups should be considered the maximum recommended pack volumes, to ensure proper fit, function, and ease of packing.

Caution: if you put a full fitting main canopy and full fitting reserve canopy in the same container; this may be very hard to pack if bulk distribution is not correct. This is particularly true for the containers V303, V304, and V306

Most canopy recommendations are determined by United Parachute Technologies actually packing the canopy into the specified Vector container. Canopy types included in this chart are intended to represent a group of common canopies suitable for each container size. Any canopy type with similar pack volume as the sample group will naturally be suitable for the same container. Brands appearing in this chart are in no particular way more suitable for our Vector containers over brands not listed.

NOTE: Canopies with logos pack larger

Please contact United Parachute Technologies at upt@uptvector.com to inquire about a canopy not listed here, or if you have any other questions about sizing your rig. If you feel that a canopy not listed below fits into a particular container, please let us know and we will be happy to add it to our list once verified

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|-------------------|--------------------|
| V300 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 9" | Valkyrie 71 | Horizon 120 | OP 99 | OP 106 |
| Width B | 9" | Valkyrie Hybrid 67 | Sabre 97 | | PD 99 |
| Length | 14.5" | Velocity 71 | Stiletto 97 | | |
| Thickness | 5.5" | | Valkyrie 75 | | |
| | | | Valkyrie Hybrid 71 | | |
| | | | Velocity 75 | | |
| V303 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 99 | ExTreme FX 84 | Icarus Reserve 99 | Icarus Reserve 109 |
| Width B | 10" | ExTreme FX 79 | ExTreme VX 79 | OP 106 | Micro Raven 109 |
| Length | 15" | ExTreme VX 74 | Horizon 120 | PD 99 | Nano 106 |
| Thickness | 4.5" | Fusion 98 | Neos 84 | Smart 99 | PD 106 |
| | | JFX79 | Pulse 97 | Techno 98 | R-Max 108 |
| | | Katana 97 | Valkyrie 84 | | |
| | | Neos 79 | Valkyrie Hybrid 79 | | |
| | | Nitron 98 | Velocity 84 | | |
| | | Omega 99 | | | |
| | | Omni 99 | | | |
| | | Sabre 97 | | | |
| | | Safire 99 | | | |
| | | Spectre 97 | | | |
| | | Stiletto 97 | | | |
| | | Storm 97 | | | |
| | | Synergy 98 | | | |
| | | Valkyrie 79 | | | |
| | | Valkyrie Hybrid 75 | | | |
| | | Velocity 79 | | | |
| | | Xaos/21 78 | | | |
| | | Xaos/27 68 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|--------------------|--------------------|
| V304 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 109 | ExTreme-JFX 94 | Icarus Reserve 99 | Icarus Reserve 109 |
| Width B | 10" | ExTreme-FX 84-89 | Horizon 135 | OP 106 | Micro Raven 109 |
| Length | 15.5" | ExTreme-VX 79 | Neos 94 | PD 99 | Nano 106 |
| Thickness | 4.5" | Fusion 108 | Valkyrie 90 | Smart 99 | PD 106 |
| | | Horizon 120 | Valkyrie Hybrid 84 | Techno 98 | R-Max 108 |
| | | Katana 107 | Velocity 90 | | |
| | | Leia 84 | Xaos-21 88 | | |
| | | Neos 84-89 | | | |
| | | Nitron 98 | | | |
| | | Omega 109 | | | |
| | | Omni 109 | | | |
| | | Pulse 107 | | | |
| | | Sabre 107 | | | |
| | | Safire 109 | | | |
| | | Spectre 107 | | | |
| | | Stiletto 107 | | | |
| | | Storm 107 | | | |
| | | Synergy 108 | | | |
| | | Valkyrie 84 | | | |
| | | Valkyrie Hybrid 79 | | | |
| | | Velocity 84 | | | |
| | | Xaos-21 88 | | | |
| | | Xaos-27 78 | | | |
| | | XFire 92 | | | |
| V306 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | Crossfire 129 | Icarus Reserve 109 | Icarus Reserve 119 |
| Width B | 10" | ExTreme-JFX 94 | ExTreme-VX 84 | Micro Raven 109 | Micro Raven 120 |
| Length | 15.5" | Fusion 120 | Horizon 150 | OP 113 | Nano 113 |
| Thickness | 5" | Horizon 135 | Katana 120 | PD 106 | OP 126 |
| | | Mamba 104 | Neos 104 | R-Max 108 | PD 113 |
| | | Neos 94 | Pulse 120 | Smart 99 | R-Max 118 |
| | | Nitron 108 | Sabre 120 | Techno 115 | Smart 110 |
| | | Omega 119 | Safire 129 | | Speed 120 |
| | | Omni 119 | Spectre 120 | | Tempo 120 |
| | | Pilot 104 | Stiletto 120 | | |
| | | Safire 119 | Storm 120 | | |
| | | Synergy 108 | Valkyrie 96 | | |
| | | Vision 104 | Valkyrie Hybrid 96 | | |
| | | | Velocity 96 | | |
| | | | Xaos-21 98 | | |
| | | | Xaos-27 88 | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|-------------------|----------------|--------------------|-----------------|
| V308 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 129 | Crossfire 139 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 11" | ExTreme-FX109 114 | ExTreme-FX 119 | Nano 126 | Nano 143 |
| Length | 15.5" | ExTreme-VX 84 | ExTreme-VX 89 | PD 126 | OP 143 |
| Thickness | 5.5 | Fusion 120 | Fusion 135 | R-Max 128 | Speed 135 |
| | | Horizon 150 | Horizon 170 | Smart 120 | |
| | | Katana 120 | Katana 135 | Techno 128 | |
| | | Mamba 124 | Neos 119 | | |
| | | Neos 109-114 | Nitron 135 | | |
| | | Nitron 120 | Omega 139 | | |
| | | Omega 119 129 | Omni 139 | | |
| | | Omni 119 129 | Pulse 150 | | |
| | | Pilot 124 | Sabre 135 | | |
| | | Pulse 135 | Safire 139 | | |
| | | Sabre 120 | Silhouette 135 | | |
| | | Safire 119 129 | Spectre 135 | | |
| | | Solo 124 | Stiletto 135 | | |
| | | Spectre 120 | Storm 135 | | |
| | | Stiletto 120 | Synergy 135 | | |
| | | Storm 120 | Velocity 103 | | |
| | | Synergy 120 | Xaos-21 120 | | |
| | | Triathalon 120 | Xaos-27 118 | | |
| | | Velocity 96 | | | |
| | | Vision 124 | | | |
| | | Xaos-21 108 | | | |
| | | Xaos-27 108 | | | |
| V309 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 139 | Crossfire 149 | PD 126 | OP 143 |
| Width B | 11" | ExTreme-FX 119 | Fusion 150 | Icarus Reserve 129 | Micro Raven 135 |
| Length | 17" | ExTreme-VX 94 | Horizon 190 | R-Max 128 | Nano 143 |
| Thickness | 5.5" | Fusion 135 | Katana 150 | Smart 135 | Speed 135 |
| | | Horizon 170 | Mamba 140 | Techno 128 | |
| | | Katana 135 | Nitron 150 | Techno 128 | |
| | | Mamba 124-132 | Omega 149 | | |
| | | Neos 119 | Omni 149 | | |
| | | Nitron 135 | Pilot 140 | | |
| | | Omega 139 | Pulse 170 | | |
| | | Omni 139 | Sabre 150 | | |
| | | Pilot 132 | Safire 149 | | |
| | | Pulse 150 | Silhouette 150 | | |
| | | Sabre 135 | Spectre 150 | | |
| | | Safire 139 | Stiletto 150 | | |
| | | Silhouette 135 | Storm 150 | | |
| | | Spectre 135 | Synergy 150 | | |
| | | Stiletto 135 | Velocity 111 | | |
| | | Storm 135 | Vision 140 | | |
| | | Synergy 135 | | | |
| | | Triathalon 135 | | | |
| | | Valkyrie 103 | | | |
| | | Velocity 103 | | | |
| | | Vision 132 | | | |
| | | Xaos-21 120 | | | |
| | | Xaos-27 118 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|------------------------|--------------------|
| V310 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 139 | Crossfire 149 | Icarus Reserve 139 | Icarus Reserve 149 |
| Width B | 11" | ExTreme-FX 119 | Fusion 150 | Micro Raven 135 | Micro Raven 150 |
| Length | 17" | ExTreme-VX 94 | Horizon 190 | Micro Raven Dacron 120 | Nano 160 |
| Thickness | 5.5" | Fusion 135 | Katana 150 | Nano 143 | OP 160 |
| | | Horizon 170 | Mamba 140 | OP 143 | PD 143 |
| | | Katana 135 | Nitron 150 | PD 126 | R-Max 148 |
| | | Mamba 124-132 | Omega 149 | R-Max 138 | Speed 150 |
| | | Neos 119 | Omni 149 | Smart 135 | |
| | | Nitron 135 | Pilot 140 | Techno 140 | |
| | | Omega 139 | Pulse 170 | | |
| | | Omni 139 | Sabre 150 | | |
| | | Pilot 132 | Safire 149 | | |
| | | Pulse 150 | Silhouette 150 | | |
| | | Sabre 135 | Spectre 150 | | |
| | | Safire 139 | Stiletto 150 | | |
| | | Silhouette 135 | Storm 150 | | |
| | | Spectre 135 | Synergy 150 | | |
| | | Stiletto 135 | Velocity 111 | | |
| | | Storm 135 | Vision 140 | | |
| | | Synergy 135 | Xaos-21 135 | | |
| | | Triathlon 135 | | | |
| | | Valkyrie 103 | | | |
| | | Velocity 103 | | | |
| | | Vision 132 | | | |
| | | Xaos-21 120 | | | |
| | | Xaos-27 118 | | | |
| V314 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 99 | ExTreme FX 84 | Icarus Reserve 109 | OP 126 |
| Width B | 10" | ExTreme FX 79 | ExTreme VX 79 | Micro Raven 109 | Smart 110 |
| Length | 17.5" | ExTreme VX 74 | Horizon 120 | Micro Raven Dacron 109 | Techno 115 |
| Thickness | 4" | Fusion 98 | Neos 84 | Nano 113 | |
| | | JFX 79 | Pulse 97 | OP 113 | |
| | | Katana 97 | Valkyrie 84 | PD 113 | |
| | | Neos 79 | Valkyrie Hybrid 79 | R-Max 108 | |
| | | Nitron 98 | Velocity 84 | Smart 99 | |
| | | Omega 99 | | | |
| | | Omni 99 | | | |
| | | Sabre 97 | | | |
| | | Safire 99 | | | |
| | | Spectre 97 | | | |
| | | Stiletto 97 | | | |
| | | Storm 97 | | | |
| | | Synergy 98 | | | |
| | | Valkyrie 79 | | | |
| | | Valkyrie Hybrid 75 | | | |
| | | Velocity 79 | | | |
| | | Xaos/21 78 | | | |
| | | Xaos/27 68 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|------------------------|--------------------|
| V314-1 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 109 | ExTreme-JFX 94 | Icarus Reserve 109 | OP 126 |
| Width B | 10" | ExTreme-JFX 84-89 | Horizon 135 | Micro Raven 109 | Smart 110 |
| Length | 18.5" | ExTreme-VX 79 | Neos 94 | Micro Raven Dacron 109 | Techno 115 |
| Thickness | 4" | Fusion 108 | Valkyrie 90 | Nano 113 | |
| | | Horizon 120 | Valkyrie Hybrid 79 | OP 113 | |
| | | Katana 107 | Velocity 90 | PD 113 | |
| | | Neos 84-89 | Xaos-21 88 | R-Max 108 | |
| | | Nitron 98 | | Smart 99 | |
| | | Omega 109 | | | |
| | | Omni 109 | | | |
| | | Pulse 107 | | | |
| | | Sabre 107 | | | |
| | | Safire 109 | | | |
| | | Spectre 107 | | | |
| | | Stiletto 107 | | | |
| | | Storm 107 | | | |
| | | Synergy 108 | | | |
| | | Valkyrie 84 | | | |
| | | Valkyrie Hybrid 79 | | | |
| | | Velocity 84 | | | |
| | | Xaos-21 88 | | | |
| | | Xaos-27 78 | | | |
| V316 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 109 | Crossfire 119 | Icarus Reserve 119 | M Raven Dacron 120 |
| Width B | 10" | ExTreme-JFX 84-89 | ExTreme-JFX 94 | Micro Raven 120 | OP 143 |
| Length | 17.5" | ExTreme-VX 79 | Horizon 135 | Nano 126 | Techno 128 |
| Thickness | 4.5" | Fusion 108 | Neos 94 | OP 126 | |
| | | Horizon 120 | Valkyrie 90 | PD 113 | |
| | | Katana 107 | Valkyrie Hybrid 84 | R-Max 118 | |
| | | Neos 84-89 | Velocity 90 | Smart 110 | |
| | | Nitron 98 | Xaos-21 88 | Techno 115 | |
| | | Omega 109 | XFire 113 | | |
| | | Omni 109 | | | |
| | | Pulse 107 | | | |
| | | Sabre 107 | | | |
| | | Safire 109 | | | |
| | | Spectre 107 | | | |
| | | Stiletto 107 | | | |
| | | Storm 107 | | | |
| | | Synergy 108 | | | |
| | | Valkyrie 84 | | | |
| | | Valkyrie Hybrid 79 | | | |
| | | Velocity 84 | | | |
| | | Xaos-21 88 | | | |
| | | Xaos-27 78 | | | |
| | | XFire 102 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|--------------------|-----------------|
| V319 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | Crossfire 129 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 10" | ExTreme-JFX 94 | Horizon 150 | Nano 143 | Smart 120 |
| Length | 17.5" | ExTreme-VX 84 | Katana 120 | OP 143 | Speed 120 |
| Thickness | 5" | Fusion 120 | Neos 104 | PD 126 | |
| | | Horizon 135 | Pulse 135 | R-Max 128 | |
| | | Mamba 104 | Sabre 120 | Techno 128 | |
| | | Neos 94 | Spectre 120 | | |
| | | Nitron 108 | Safire 129 | | |
| | | Omega 119 | Stiletto 120 | | |
| | | Omni 119 | Storm 120 | | |
| | | Pilot 104 | Valkyrie 96 | | |
| | | Safire 119 | Valkyrie Hybrid 90 | | |
| | | Synergy 108 | Velocity 96 | | |
| | | Valkyrie 90 | Xaos-21 98 | | |
| | | Valkyrie Hybrid 84 | Xaos-27 88 | | |
| | | Velocity 90 | XFire 124 | | |
| | | Vision 104 | | | |
| | | XFire 113 | | | |
| V320 MICRON | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 129 | Crossfire 139 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 10" | ExTreme-FX 109 114 | ExTreme-FX 119 | Nano 126 | Nano 143 |
| Length | 17" | ExTreme-VX 84 | ExTreme-VX 89 | PD 126 | OP 143 |
| Thickness | 5.5" | Fusion 120 | Fusion 135 | R-Max 128 | Speed 135 |
| | | Horizon 150 | Horizon 170 | Smart 120 | |
| | | Katana 120 | Katana 135 | Techno 128 | |
| | | Mamba 124 | Neos 119 | | |
| | | Neos 109-114 | Nitron 135 | | |
| | | Nitron 120 | Omega 139 | | |
| | | Omega 119 129 | Omni 139 | | |
| | | Omni 119 129 | Pulse 150 | | |
| | | Pilot 124 | Sabre 135 | | |
| | | Pulse 135 | Safire 139 | | |
| | | Sabre 120 | Silhouette 135 | | |
| | | Safire 119 129 | Spectre 135 | | |
| | | Solo 124 | Stiletto 135 | | |
| | | Spectre 120 | Storm 135 | | |
| | | Stiletto 120 | Synergy 135 | | |
| | | Storm 120 | Velocity 111 | | |
| | | Synergy 120 | Xaos-21 120 | | |
| | | Triathlon 120 | Xaos-27 118 | | |
| | | Valkyrie 103 | | | |
| | | Velocity 103 | | | |
| | | Vision 124 | | | |
| | | Xaos-21 108 | | | |
| | | Xaos-27 108 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-----|-------------------|----------------|--------------------|--------------------|
| V326 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | ExTreme-FX 104 | Icarus Reserve 119 | M Raven Dacron 120 |
| Width B | 12" | ExTreme-FX 99 | Neos 104-109 | Nano 126 | |
| Length | 16" | ExTreme-VX 94 | Horizon 150 | OP 126 | |
| Thickness | 4" | Fusion 120 | | PD 113 | |
| | | Horizon 135 | | R-Max 118 | |
| | | Katana 120 | | Smart 110 | |
| | | Mamba 104 | | Techno 115 | |
| | | Neos 99 | | | |
| | | Nitron 120 | | | |
| | | Omega 119 | | | |
| | | Omni 119 | | | |
| | | Pilot 104 | | | |
| | | Pulse 120 | | | |
| | | Sabre 120 | | | |
| | | Safire 119 | | | |
| | | Spectre 120 | | | |
| | | Stiletto 120 | | | |
| | | Storm 120 | | | |
| | | Synergy 120 | | | |
| | | Valkyrie 90 | | | |
| | | Velocity 90 | | | |
| | | Vision 104 | | | |
| | | Xaos-21 108 | | | |
| | | Xaos-27 88 | | | |
| V328 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 129-139 | ExTreme-VX 119 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 12" | ExTreme-FX 119 | Horizon 170 | Nano 143 | Speed 135 |
| Length | 16" | ExTreme-VX 104 | Mamba 132 | OP 143 | |
| Thickness | 5" | Fusion 135 | Pilot 132 | PD 126 | |
| | | Horizon 150 | Pulse 150 | R-Max 128 | |
| | | Katana 135 | Silhouette 150 | Smart 120 | |
| | | Mamba 124 | Solo 132 | Techno 128 | |
| | | Neos 119 | Triathlon 135 | | |
| | | Nitron 135 | Velocity 111 | | |
| | | Omega 139 | Vision 132 | | |
| | | Omni 139 | Xaos-27 118 | | |
| | | Pilot 124 | | | |
| | | Pulse 135 | | | |
| | | Sabre 135 | | | |
| | | Safire 139 | | | |
| | | Silhouette 135 | | | |
| | | Solo 124 | | | |
| | | Spectre 135 | | | |
| | | Stiletto 135 | | | |
| | | Storm 135 | | | |
| | | Synergy 135 | | | |
| | | Triathlon 120 | | | |
| | | Valkyrie 103 | | | |
| | | Velocity 103 | | | |
| | | Vision 124 | | | |
| | | Xaos-21 120 | | | |
| | | Xaos-27 118 | | | |

NO LONGER IN PRODUCTION

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|------------------|---------------|--------------------|--------------------|
| V335 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 109 | ExTreme-FX 94 | Icarus Reserve 119 | M Raven Dacron 120 |
| Width B | 12" | ExTreme-FX 84-89 | ExTreme-VX 84 | Micro Raven 120 | Techno 128 |
| Length | 18" | ExTreme-VX 79 | Horizon 135 | Nano 126 | |
| Thickness | 3.5" | Fusion 108 | Neos 94 | OP 126 | |
| | | Horizon 120 | Pulse 107 | PD 113 | |
| | | Katana 107 | Valkyrie 99 | R-Max 118 | |
| | | Neos 84-89 | Velocity 90 | Smart 110 | |
| | | Nitron 108 | Xaos-21 98 | Techno 115 | |
| | | Omega 109 | Xaos-27 88 | | |
| | | Omni 109 | | | |
| | | Sabre 107 | | | |
| | | Safire 109 | | | |
| | | Spectre 107 | | | |
| | | Stiletto 107 | | | |
| | | Storm 107 | | | |
| | | Synergy 108 | | | |
| | | Triathlon 99 | | | |
| | | Valkyrie 84 | | | |
| | | Velocity 84 | | | |
| | | Vision 96 | | | |
| | | Xaos-21 88 | | | |
| | | Xaos-27 74 | | | |
| V336 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 109 | Crossfire 119 | Icarus Reserve 119 | M Raven Dacron 120 |
| Width B | 12" | ExTreme-FX 94 | ExTreme-FX 99 | OP 126 | |
| Length | 18.5" | ExTreme-VX 89 | ExTreme-VX 94 | PD 113 | |
| Thickness | 3.5" | Fusion 108 | Fusion 120 | R-Max 118 | |
| | | Horizon 135 | Horizon 150 | Smart 110 | |
| | | Katana 107 | Katana 120 | Techno 115 | |
| | | Mamba 96 | Mamba 104 | | |
| | | Neos 94 | Neos 99 | | |
| | | Nitron 108 | Nitron 120 | | |
| | | Omega 109 | Omega 119 | | |
| | | Omni 109 | Omni 119 | | |
| | | Pilot 96 | Pilot 104 | | |
| | | Sabre 107 | Pulse 135 | | |
| | | Safire 109 | Sabre 120 | | |
| | | Spectre 107 | Safire 119 | | |
| | | Stiletto 107 | Spectre 120 | | |
| | | Storm 107 | Stiletto 120 | | |
| | | Synergy 108 | Storm 120 | | |
| | | Valkyrie 84 | Synergy 120 | | |
| | | Velocity 84 | Valkyrie 90 | | |
| | | Vision 96 | Velocity 90 | | |
| | | Xaos-21 98 | Vision 104 | | |
| | | Xaos-27 88 | Xaos-21 108 | | |
| | | | Xaos-27 98 | | |

NO LONGER IN PRODUCTION

NO LONGER IN PRODUCTION

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|------------------|-------------------|--------------------|-----------------|
| V339 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | ExTreme-FX 109 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 12" | ExTreme-FX 104 | Horizon 150 | OP 143 | Smart 120 |
| Length | 18" | ExTreme-VX 99 | Mamba 111 | PD 126 | Speed 135 |
| Thickness | 4" | Fusion 120 | Pilot 111 | R-Max 128 | |
| | | Horizon 135 | Pulse 150 | Techno 128 | |
| | | Katana 120 | Triathlon 120 | | |
| | | Mamba 104 | Valkyrie 103 | | |
| | | Neos 104 | Velocity 103 | | |
| | | Nitron 120 | Vision 111 | | |
| | | Omega 119 | | | |
| | | Omni 119 | | | |
| | | Pilot 104 | | | |
| | | Pulse 135 | | | |
| | | Sabre 120 | | | |
| | | Safire 119 | | | |
| | | Spectre 120 | | | |
| | | Stiletto 120 | | | |
| | | Storm 120 | | | |
| | | Synergy 120 | | | |
| | | Valkyrie 96 | | | |
| | | Velocity 96 | | | |
| | | Vision 104 | | | |
| | | Xaos-21 108 | | | |
| | | Xaos-27 98 | | | |
| V340 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | Crossfire 129-139 | Icarus Reserve 129 | Micro Raven 135 |
| Width B | 12" | ExTreme-FX 114 | ExTreme-FX 119 | OP 143 | Smart 120 |
| Length | 18.5" | ExTreme-VX 104 | ExTreme-VX 109 | PD 126 | Speed 135 |
| Thickness | 4" | Fusion 120 | Fusion 135 | R-Max 128 | |
| | | Horizon 150 | Horizon 170 | Techno 128 | |
| | | Katana 120 | Katana 135 | | |
| | | Mamba 111 | Mamba 124 | | |
| | | Neos 114 | Neos 119 | | |
| | | Nitron 120 | Nitron 135 | | |
| | | Omega 119 129 | Omega 139 | | |
| | | Omni 119 129 | Omni 139 | | |
| | | Pilot 111 | Pilot 124 | | |
| | | Pulse 135 | Pulse 150 | | |
| | | Sabre 120 | Sabre 135 | | |
| | | Safire 119 129 | Safire 139 | | |
| | | Spectre 120 | Silhouette 135 | | |
| | | Stiletto 120 | Spectre 135 | | |
| | | Storm 120 | Stiletto 135 | | |
| | | Synergy 120 | Storm 135 | | |
| | | Valkyrie 96 | Synergy 135 | | |
| | | Velocity 96 | Triathlon 120 | | |
| | | Vision 111 | Valkyrie 103 | | |
| | | Xaos-21 108 | Velocity 103 | | |
| | | Xaos-27 98 | Vision 124 | | |
| | | | Xaos-21 118 | | |
| | | | Xaos-27 108 | | |

NO LONGER IN PRODUCTION

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|-------------------|-------------------|------------------------|--------------------|
| V343 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 119 | Crossfire 129-139 | Icarus Reserve 139 | Icarus Reserve 149 |
| Width B | 12" | ExTreme-FX 114 | ExTreme-FX 119 | Micro Raven Dacron 135 | Micro Raven 150 |
| Length | 18" | ExTreme-VX 104 | ExTreme-VX 109 | OP 160 | R-Max 148 |
| Thickness | 4.5" | Fusion 120 | Fusion 135 | PD 143 | Speed 150 |
| | | Horizon 150 | Horizon 170 | R-Max 138 | |
| | | Katana 120 | Katana 135 | Smart 135 | |
| | | Mamba 111 | Mamba 124 | Techno 140 | |
| | | Neos 114 | Neos 119 | | |
| | | Nitron 120 | Nitron 135 | | |
| | | Omega 119 129 | Omega 139 | | |
| | | Omni 119 129 | Omni 139 | | |
| | | Pilot 111 | Pilot 124 | | |
| | | Pulse 135 | Pulse 150 | | |
| | | Sabre 120 | Sabre 135 | | |
| | | Safire 119 129 | Safire 139 | | |
| | | Spectre 120 | Silhouette 135 | | |
| | | Stiletto 120 | Spectre 135 | | |
| | | Storm 120 | Stiletto 135 | | |
| | | Synergy 120 | Storm 135 | | |
| | | Valkyrie 103 | Synergy 135 | | |
| | | Velocity 103 | Triathalon 120 | | |
| | | Vision 111 | Velocity 111 | | |
| | | Xaos-21 108 | Vision 124 | | |
| | | Xaos-27 98 | Xaos-21 118 | | |
| | | | Xaos-27 108 | | |
| V344 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 129-139 | Crossfire 149 | Icarus Reserve 139 | Icarus Reserve 149 |
| Width B | 12" | ExTreme-FX 119 | Fusion 150 | Micro Raven Dacron 135 | R-Max 148 |
| Length | 18.5" | ExTreme-VX 109 | Horizon 170 | OP 160 | Micro Raven 150 |
| Thickness | 4.5" | Fusion 135 | Katana 150 | PD 143 | |
| | | Horizon 150 | Mamba 140 | R-Max 138 | |
| | | Katana 135 | Nitron 150 | Smart 135 | |
| | | Mamba 124 | Omega 149 | Techno 140 | |
| | | Neos 119 | Omni 149 | | |
| | | Nitron 135 | Pilot 140 | | |
| | | Omega 139 | Pulse 170 | | |
| | | Omni 139 | Sabre 150 | | |
| | | Pilot 124 | Safire 149 | | |
| | | Pulse 150 | Silhouette 150 | | |
| | | Sabre 135 | Spectre 150 | | |
| | | Safire 139 | Stiletto 150 | | |
| | | Silhouette 135 | Storm 150 | | |
| | | Spectre 135 | Synergy 150 | | |
| | | Stiletto 135 | Velocity 111 | | |
| | | Storm 135 | Vision 140 | | |
| | | Synergy 135 | Xaos-21 135 | | |
| | | Triathalon 120 | | | |
| | | Valkyrie 103 | | | |
| | | Velocity 103 | | | |
| | | Vision 124 | | | |
| | | Xaos-21 118 | | | |
| | | Xaos-27 108 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-----|--------------------|--------------------|------------------------|--------------------|
| V346 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 189 | Equinox 209 | Icarus Reserve 139 | Icarus Reserve 149 |
| Width B | 12" | Equinox 189 | Fusion 210 | Micro Raven Dacron 135 | Micro Raven 150 |
| Length | 19" | Fusion 190 | Icarus student 209 | OP 160 | R-Max 148 |
| Thickness | 5" | Icarus student 189 | Navigator 200 | PD 143 | Speed 150 |
| | | Omega 189 | Omega 209 | R-Max 138 | |
| | | Omni 189 | Omni 209 | Smart 135 | |
| | | Pilot 168 | Pilot 188 | Techno 140 | |
| | | Pulse 210 | Pulse 230 | | |
| | | Sabre 190 | Sabre 210 | | |
| | | Safire 189 | Safire 209 | | |
| | | Silhouette 190 | Silhouette 210 | | |
| | | Spectre 190 | Spectre 210 | | |
| | | Stiletto 190 | Storm 210 | | |
| | | Storm 190 | Synergy 210 | | |
| | | Synergy 190 | Triathlon 190 | | |
| | | Triathlon 175 | | | |
| | | Vision 168 | | | |
| V347 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 129-139 | Crossfire 149 | Icarus Reserve 169 | Speed 170 |
| Width B | 12" | ExTreme-FX 119 | Fusion 150 | Micro Raven Dacron 150 | |
| Length | 18" | ExTreme-VX 109 | Horizon 170 | OP 176 | |
| Thickness | 5" | Fusion 135 | Katana 150 | PD 160 | |
| | | Horizon 150 | Mamba 140 | R-Max 168 | |
| | | Katana 135 | Nitron 150 | Smart 150 | |
| | | Mamba 124 | Omega 149 | Techno 155 | |
| | | Neos 119 | Omni 149 | | |
| | | Nitron 135 | Pilot 140 | | |
| | | Omega 139 | Pulse 170 | | |
| | | Omni 139 | Sabre 150 | | |
| | | Pilot 124 | Safire 149 | | |
| | | Pulse 150 | Silhouette 150 | | |
| | | Sabre 135 | Spectre 150 | | |
| | | Safire 139 | Stiletto 150 | | |
| | | Silhouette 135 | Storm 150 | | |
| | | Spectre 135 | Synergy 150 | | |
| | | Stiletto 135 | Velocity 120 | | |
| | | Storm 135 | Vision 140 | | |
| | | Synergy 135 | Xaos-21 135 | | |
| | | Triathlon 120 | | | |
| | | Velocity 111 | | | |
| | | Vision 124 | | | |
| | | Xaos-21 118 | | | |
| | | Xaos-27 108 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|------------------|--------------------|------------------------|--------------------|
| V348 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 149 | Crossfire 169 | Icarus Reserve 169 | Speed 170 |
| Width B | 12" | Fusion 150 | Fusion 175 | Micro Raven Dacron 150 | |
| Length | 18.5" | Horizon 170 | Horizon 190 | OP 176 | |
| Thickness | 5" | Katana 150 | Icarus student 169 | PD 160 | |
| | | Mamba 150 | Katana 170 | R-Max 168 | |
| | | Nitron 150 | Nitron 170 | Smart 150 | |
| | | Omega 149 | Omega 169 | Techno 155 | |
| | | Omni 149 | Omni 169 | | |
| | | Pilot 150 | Pilot 168 | | |
| | | Pulse 170 | Pulse 190 | | |
| | | Sabre 150 | Sabre 170 | | |
| | | Safire 149 | Safire 169 | | |
| | | Silhouette 150 | Silhouette 170 | | |
| | | Spectre 150 | Spectre 170 | | |
| | | Stiletto 150 | Stiletto 170 | | |
| | | Storm 150 | Storm 170 | | |
| | | Synergy 150 | Synergy 170 | | |
| | | Velocity 120 | Triathlon 160 | | |
| | | Vision 150 | Vision 168 | | |
| | | Xaos-21 135 | | | |
| V349 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 149 | Crossfire 169 | Icarus Reserve 169 | Icarus Reserve 189 |
| Width B | 12" | Fusion 150 | Fusion 175 | OP 193 | R-Max 188 |
| Length | 17.5" | Katana 150 | Icarus student 169 | PD 176 | Raven 1 |
| Thickness | 5.5" | Mamba 150 | Katana 170 | R-Max 168 | Speed 190 |
| | | Nitron 150 | Nitron 170 | Smart 160 | |
| | | Omega 149 | Omega 169 | | |
| | | Omni 149 | Omni 169 | | |
| | | Pilot 150 | Pilot 168 | | |
| | | Pulse 170 | Pulse 190 | | |
| | | Sabre 150 | Sabre 170 | | |
| | | Safire 149 | Safire 169 | | |
| | | Silhouette 150 | Silhouette 170 | | |
| | | Spectre 150 | Spectre 170 | | |
| | | Stiletto 150 | Stiletto 170 | | |
| | | Storm 150 | Storm 170 | | |
| | | Synergy 150 | Synergy 170 | | |
| | | Velocity 111 | Triathlon 160 | | |
| | | Vision 150 | Vision 168 | | |
| | | Xaos-21 135 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|------------------------|--------------------|
| V350 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 10" | Crossfire 169 | Crossfire 189 | Icarus Reserve 169 | Icarus Reserve 189 |
| Width B | 12" | Fusion 175 | Equinox 189 | OP 193 | R-Max 188 |
| Length | 18.5" | Icarus student 169 | Fusion 190 | PD 176 | Raven 1 |
| Thickness | 5.5" | Nitron 170 | Icarus student 189 | R-Max 168 | Speed 190 |
| | | Omega 169 | Omega 189 | Smart 160 | |
| | | Omni 169 | Omni 189 | | |
| | | Pilot 168 | Pilot 188 | | |
| | | Pulse 190 | Pulse 210 | | |
| | | Sabre 170 | Sabre 190 | | |
| | | Safire 169 | Safire 189 | | |
| | | Silhouette 170 | Silhouette 190 | | |
| | | Spectre 170 | Spectre 190 | | |
| | | Stiletto 170 | Stiletto 190 | | |
| | | Storm 170 | Storm 190 | | |
| | | Synergy 170 | Synergy 190 | | |
| | | Vision 168 | Triathlon 175 | | |
| V351 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 169 | Crossfire 189 | Icarus Reserve 169 | Speed 170 |
| Width B | 14" | Fusion 175 | Equinox 189 | Micro Raven Dacron 150 | |
| Length | 19.5" | Icarus student 169 | Fusion 190 | OP 176 | |
| Thickness | 3.75" | Nitron 170 | Icarus student 189 | PD 160 | |
| | | Omega 169 | Omega 189 | R-Max 168 | |
| | | Omni 169 | Omni 189 | Smart 160 | |
| | | Pilot 168 | Pilot 188 | Techno 155 | |
| | | Sabre 170 | Pulse 210 | | |
| | | Safire 169 | Sabre 190 | | |
| | | Silhouette 170 | Safire 189 | | |
| | | Spectre 170 | Silhouette 190 | | |
| | | Stiletto 170 | Spectre 190 | | |
| | | Storm 170 | Stiletto 190 | | |
| | | Synergy 170 | Storm 190 | | |
| | | Vision 168 | Synergy 190 | | |
| | | | Triathlon 175 | | |
| V352 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 169 | Crossfire 189 | Icarus Reserve 169 | Icarus Reserve 189 |
| Width B | 15" | Fusion 175 | Equinox 189 | OP 193 | R-Max 188 |
| Length | 18.5" | Icarus student 169 | Fusion 190 | PD 176 | Raven 1 |
| Thickness | 4.25" | Nitron 170 | Omega 189 | R-Max 168 | Techno 190 |
| | | Omni 169 | Omni 189 | Smart 160 | |
| | | Pilot 168 | Pilot 188 | | |
| | | Sabre 170 | Pulse 210 | | |
| | | Safire 169 | Sabre 190 | | |
| | | Silhouette 170 | Safire 189 | | |
| | | Spectre 170 | Silhouette 190 | | |
| | | Stiletto 170 | Spectre 190 | | |
| | | Storm 170 | Stiletto 190 | | |
| | | Synergy 170 | Storm 190 | | |
| | | Vision 168 | Synergy 190 | | |
| | | | Triathlon 175 | | |

NO LONGER IN PRODUCTION

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|--------------------|--------------------|
| V353 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 189 | Equinox 209 | Icarus Reserve 189 | Icarus Reserve 219 |
| Width B | 14" | Equinox 189 | Fusion 210 | OP 218 | OP 235 |
| Length | 18.5" | Fusion 190 | Icarus student 209 | PD 193 | PD 218 |
| Thickness | 5" | Icarus student 189 | Navigator 200 | R-Max 188 | R-Max 208 |
| | | Omega 189 | Omega 209 | Raven 1 | Raven 2 |
| | | Omni 189 | Omni 209 | Speed 190 | Smart 190 |
| | | Pilot 168 | Pilot 188 | Techno 190 | |
| | | Pulse 210 | Pilot 210 ZPX | | |
| | | Sabre 190 | Pulse 230 | | |
| | | Safire 189 | Sabre 210 | | |
| | | Silhouette 190 | Safire 209 | | |
| | | Spectre 190 | Silhouette 210 | | |
| | | Stiletto 190 | Spectre 210 | | |
| | | Storm 190 | Storm 210 | | |
| | | Synergy 190 | Synergy 210 | | |
| | | Triathlon 175 | Triathlon 190 | | |
| | | Vision 168 | | | |
| V354 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 189 | EQUINOX 209 | Icarus Reserve 169 | Icarus Reserve 189 |
| Width B | 14" | EQUINOX 189 | Fusion 120 | OP 193 | OP 218 |
| Length | 19.5" | Fusion 190 | Icarus student 209 | PD 176 | PR 193 |
| Thickness | 4.25" | Icarus student 189 | Navigator 200 | R-Max 168 | R-Max 188 |
| | | Omega 189 | Omega 209 | Raven 1 | Techno 190 |
| | | Omni 189 | Omni 209 | Smart 160 | |
| | | Pilot 188 | Pilot 210 | Speed 190 | |
| | | Pulse 210 | Pulse 230 | | |
| | | Sabre 190 | Sabre 210 | | |
| | | Safire189 | Safire 209 | | |
| | | Silhouette 190 | Silhouette 210 | | |
| | | Spectre 190 | Spectre 210 | | |
| | | Stiletto 190 | Storm 210 | | |
| | | Storm 190 | Synergy 210 | | |
| | | Synergy 190 | Triathlon 210 | | |
| | | Triathlon 190 | | | |
| V355 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | EQUINOX 209 | Fusion 230 | Icarus Reserve 189 | Icarus Reserve 219 |
| Width B | 14" | Fusion 210 | Icarus student 229 | OP 218 | OP 235 |
| Length | 19.5" | Icarus student 209 | Navigator 220 | PD 193 | PD 218 |
| Thickness | 5" | Navigator 200 | Omega 229 | R-Max 188 | R-Max 208 |
| | | Omega 209 | Omni 229 | Raven 2 | Raven 3 |
| | | Omni 209 | Pilot 210 | Smart 190 | |
| | | Pilot 188 | Sabre 230 | Techno 190 | |
| | | Pulse 230 | Safire 229 | | |
| | | Sabre 210 | Silhouette 230 | | |
| | | Safire 209 | Spectre 230 | | |
| | | Silhouette 210 | Storm 230 | | |
| | | Spectre 210 | Synergy 230 | | |
| | | Storm 210 | Triathlon 220 | | |
| | | Synergy 210 | | | |
| | | Triathlon 210 | | | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|--------------------|--------------------|--------------------|--------------------|
| V357 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 189 | Fusion 210 | R-Max 208 | Icarus Reserve 219 |
| Width B | 14" | EQUINOX 189 | Icarus student 209 | Raven 2 | OP 235 |
| Length | 18" | Fusion 190 | Navigator 200 | | PD 218 |
| Thickness | 5.5" | Icarus student 189 | Omega 209 | | R-Max 228 |
| | | Omega 189 | Omni 209 | | Raven 3 |
| | | Omni 189 | Pilot 188 | | Smart 220 |
| | | Pulse 210 | Pulse 230 | | |
| | | Sabre 190 | Sabre 210 | | |
| | | Safire 189 | Safire 209 | | |
| | | Silhouette 190 | Silhouette 210 | | |
| | | Spectre 190 | Spectre 210 | | |
| | | Stiletto 190 | Storm 210 | | |
| | | Storm 190 | Synergy 210 | | |
| | | Synergy 190 | | | |
| | | Triathlon 190 | | | |
| V358 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Equinox 209 | EQUINOX 239 | Icarus Reserve 219 | Raven 3 |
| Width B | 14" | Fusion 210 | Fusion 230 | OP 235 | Smart 220 |
| Length | 19" | Icarus student 209 | Icarus student 229 | PD 218 | |
| Thickness | 5.5" | Navigator 200 | Navigator 220 | R-Max 228 | |
| | | Omega 209 | Omega 229 | Raven 2 | |
| | | Omni 209 | Omni 229 | | |
| | | Pulse 230 | Pilot 210 | | |
| | | Sabre 210 | Sabre 230 | | |
| | | Safire 209 | Safire 229 | | |
| | | Silhouette 210 | Silhouette 230 | | |
| | | Spectre 210 | Spectre 230 | | |
| | | Storm 210 | Storm 230 | | |
| | | Synergy 210 | Synergy 230 | | |
| | | | Triathlon 220 | | |
| V360-1 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Crossfire 229 | Navigator 240 | Icarus Reserve 219 | PD 235 |
| Width B | 14" | Fusion 230 | Solo230 | OP 235 | Raven 3 |
| Length | 18.5" | Icarus student 229 | Zero 265 | PD 218 | Smart 220 |
| Thickness | 6" | Navigator 220 | | R-Max 228 | |
| | | Omega 229 | | Raven 2 | |
| | | Omni 229 | | Techno 240 | |
| | | Pulse 230 | | | |
| | | Sabre 230 | | | |
| | | Safire 229 | | | |
| | | Silhouette 230 | | | |
| | | Solo 210 | | | |
| | | Spectre 230 | | | |
| | | Storm 230 | | | |
| | | Synergy 230 | | | |
| | | Triathlon 220 | | | |
| V360-2 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Equinox 239 | Navigator 280 | Icarus Reserve 219 | PD 235 |
| Width B | 14" | Icarus student 249 | Zero 295-305 | OP 235 | Raven 3 |
| Length | 19.5" | Navigator 260 | | PD 218 | Smart 220 |
| Thickness | 6" | Zero 265-275-285 | | R-Max 228 | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|-------|-------------------------|---------------------|-------------------------|---------------------|
| V360-3 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Navigator 280 | Navigator 300 | Icarus Reserve 219 | PD 235 |
| Width B | 14" | Zero 295-305 | | OP 235 | Raven 3 |
| Length | 20.5" | | | PD 218 | Smart 220 |
| Thickness | 6" | | | R-Max 228 | |
| | | | | Raven 2 | |
| | | | | Techno 240 | |
| V361 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | MS 260 | MS 280 | PR 253 | PR 281 |
| Width B | 14" | | | | |
| Length | 18.5" | | | | |
| Thickness | 7" | | | | |
| V362 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 13" | Equinox 279 | Equinox 299 | Icarus Reserve 169 | |
| Width B | 15" | Foil 272-282 | Foil 302 | OP 176 | |
| Length | 18.5" | Icarus Student 269 | Icarus Student 289 | PD 160 | |
| Thickness | 4.75" | Navigator 280 | Navigator 300 | R-Max 168 | |
| | | Solo 270 | Zero 305 | Smart 150 | |
| | | Zero 275-285-295 | | Techno 155 | |
| V364 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Silhouette 230 - Micro | | PR 235 | |
| Width B | 14" | | | | |
| Length | 17" | | | | |
| Thickness | 6.5" | | | | |
| V364-1 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Navigator 240 | | PR 235 | |
| Width B | 14" | Silhouette 230 - Dacron | | | |
| Length | 18" | | | | |
| Thickness | 6.5" | | | | |
| V375 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 14" | Equinox 259 | Equinox 279 | Icarus Reserve 259 | |
| Width B | 16" | Foil 272 | Foil 282 | OP 253 | |
| Length | 20" | Icarus student 249 | Icarus student 269 | PD 253 | |
| Thickness | 5" | Navigator 260 | Navigator 280 | R-Max 248 | |
| | | Sabre 260 | Solo 250 | Raven 3 | |
| | | Silhouette 260 | Zero 295 | Smart 250 | |
| | | Zero 275-285 | | Techno 240 | |
| V378 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 14" | Equinox 279 | Navigator 300 | Icarus Reserve 259 | Icarus Reserve 279 |
| Width B | 16" | Foil 282 | Equinox 299 | PD 253 | PD 281 |
| Length | 21" | Icarus student 269 | Icarus student 289 | R-Max 268 | R-Max 288 |
| Thickness | 5" | Navigator 280 | Solo 270 | Raven 3 | Raven 4 |
| | | Solo 250 | Foil 302 | Smart 250 | |
| | | Zero 295 | Zero 305 | Techno 240 | |
| V380 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Equinox 239 | Equinox 259 | Icarus Reserve 279 | R-Max 288 |
| Width B | 14" | Icarus student 249 | Navigator 260 | PD 281 | |
| Length | 19" | Navigator 240 | Sabre 260 | Raven 4 | |
| Thickness | 6.5" | Solo 230 | Silhouette 260 | Smart 270 | |

| Container Size | | Main Canopy | | Reserve Canopy | |
|----------------|------|--------------------|---------------|--------------------|--------------|
| V382 | | Standard Fitting | Full Fitting | Standard Fitting | Full Fitting |
| Width A | 12" | Equinox 259 | Equinox 279 | Icarus Reserve 279 | |
| Width B | 14" | Navigator 260 | Navigator 280 | PD 281 | |
| Length | 20" | Sabre 260 | Solo 270 | R-Max 288 | |
| Thickness | 6.5" | Silhouette 260 | | Raven 4 | |
| | | Icarus student 269 | | Smart 270 | |
| | | Solo 250 | | | |